Salt Lake County

2023 Year-End Decision Package Summary

by Linked Form ID

Form ID:	28903	Current Stage	Туре	Council Approval	Council Approval Date
Name:	MVPAC Chiller Pump	5008 - Council	Exigency	No	

Request This request is to replace a chiller pump at Mid-Valley Performing Arts Center. This is an exigent request as the backup pump, which was designed to handle support for shorts periods, is struggling to keep up with demand. Also, in the event the backup pump fails, the building would be without its primary source of cooling during the hot summer months. The chiller pump failed 4 years into a 15-year life cycle. The failure is likely due to a manufacturing defect and was not expected. Our Arts & Culture building operations staff are working with the manufacturer to see about getting the costs covered by defect warranty. If the costs are not covered under a defect warranty, the project is proposed to be covered by underspend from project CFA_0067UMOCA Utah Museum of Contemporary Arts, as the initial design phase came in under budget. The cost of the pump is \$16,100. The estimated cost for Facilities Management oversight plus contingency are \$3,860, for a total of \$19,960. This exigent request allows Arts and Culture to purchase the pump while pursuing defect warranty reimbursement.

Fund, Org, SubDept, Project/Program, Account	Revenues	Expenses	Transfer In and OFS	Transfer Out and OFU	Balance Sheet	Net Change to Fund Balance	FTE
185 - SLCO Arts and Culture Fund							
35009900 - SLCO Arts and Culture Cap Proj							
3500990000 - SLCO Arts and Culture Cap Proj CFA_0002MV - MVPAC Chiller Pump Replacement							
607015 - Maintenance - Buildings	0	19,960	0	0	0	(19,960)	0.00
CFA_0067UMOCA - UMOCA FIRE SUPPRESSION SYSTEM							
607015 - Maintenance - Buildings	0	(19,960)	0	0	0	19,960	0.00
Total SLCO Arts and Culture Cap Proj	0	0	0	0	0	0	0.00
Total SLCO Arts and Culture Fund	0	0	0	0	0	0	0.00

Future Year Adjustments	Revenues	Revenues Expenses		Transfer Out and OFU	Balance Sheet	Net Change to Fund Balance	FTE	
185 - SLCO Arts and Culture Fund								
35009900 - SLCO Arts and Culture Cap Proj								
3500990000 - SLCO Arts and Culture Cap Proj								
CFA_0002MV - MVPAC Chiller Pump Replacement								
607015 - Maintenance - Buildings	0	(19,960)	0	0	0	19,960	0.00	
CFA_0067UMOCA - UMOCA FIRE SUPPRESSION SYSTEM								
607015 - Maintenance - Buildings	0	19,960	0	0	0	(19,960)	0.00	
Total SLCO Arts and Culture Cap Proj	0	0	0	0	0	0	0.00	
Total SLCO Arts and Culture Fund	0	0	0	0	0	0	0.00	
Budget Year - Grand Total	0	0	0	0	0	0	0.00	



2023 Year-End Decision Package Summary

bv	Linked	Form	ID
ωy	LIIIICU	1 01111	

Future Year Adjustments - Grand Total			0	0	0	0	0	0.00
Form ID	Attachments							
28903	28903_1.12.01YE-MVPAC Chiller Pump 230801_20230801T113446	.pdf						

28903 CFA_0067UMOCA Fire Suppression_20230726T132122.pdf

28903 Pump Cost email_20230726T132122.pdf

