Salt Lake County

Decision Package Summary

by Linked Form ID

| Form ID: | 15383 | Current Stage | Туре | Council Approval | Council Approval Date | |
|-------------------------|---|----------------|---------------------|---------------------|-----------------------|--|
| Name: | South Main Health Boiler Burner Replacement - HLT005 | 5008 - Council | New Capital Project | No | | |
| Request Description: | Allocate under expend to New Capital project HLT005 - South Main Health Boiler Burner replacement. The Boiler is currently non-operational and the boiler burner needs to be replaced. This is a high priority project as the boiler is essential to the operation of the building. The under expend transfer will come from a completed project. | | | | | |

| | Revenues | Expenses | Transfer In and OFS | Transfer Out and OFU | Balance Sheet | Net Change to Fund Balance | FTE | | | | |
|--|---|----------|---------------------|----------------------|---------------|----------------------------|------|--|--|--|--|
| 450 - CAPITAL IMPROVEMENTS FUND | | | | | | | | | | | |
| 50500000 - CAPITAL IMPROVEMENTS | | | | | | | | | | | |
| 5050000000 - CAPITAL IMPROVEMENTS PRGM | | | | | | | | | | | |
| HLT005 - South Main Health Boiler Burner Rep | lacement | | | | | | | | | | |
| 000200 - Operations | 0 | 15,000 | 0 | 0 | 0 | (15,000) | 0.00 | | | | |
| HLT19BOILER - ENH - BOILER REPLACEMEN | т | | | | | | | | | | |
| 000200 - Operations | 0 | (15,000) | 0 | 0 | 0 | 15,000 | 0.00 | | | | |
| Total CAPITAL IMPROVEMENTS | 0 | 0 | 0 | 0 | 0 | 0 | 0.00 | | | | |
| Total CAPITAL IMPROVEMENTS FUND | 0 | 0 | 0 | 0 | 0 | 0 | 0.00 | | | | |
| Form ID Attachments | | | | | | | | | | | |
| 15383 15383.1.12.05 - FAC SVCS Capital Proje | 15383.1.12.05 - FAC SVCS Capital Project Adj Year end Forms_20200914T095442.pdf | | | | | | | | | | |
| Budget Year - Grand Total | 0 | 0 | 0 | 0 | 0 | 0 | 0.00 | | | | |
| Future Year Adjustments - Grand Total | - | - | - | - | - | - | | | | | |



HLT19BOILER Environmental Health boiler replacement.