



Legislation Details (With Text)

File #:	22-0061	Version:	1	Name:	
Type:	Discussion Items	Status:		Agenda Ready	
File created:	1/26/2022	In control:		Council Work Session	
On agenda:	2/1/2022	Final action:			
Title:	Discussion Regarding the Midvale Main Street CDA Inter-Local Agreement (ILA)				
Sponsors:					
Indexes:					
Code sections:					
Attachments:	1. Staff Report, 2. 2022-01 Resolution, 3. Midvale Main Street CDA ILA with Midvale signatures, 4. Attachment A - Midvale Main Street CDA Project Area Plan, 5. Midvale Main Street CDA Budget				

Date	Ver.	Action By	Action	Result
------	------	-----------	--------	--------

Requested Agenda Date:
2/1/2022

Requested Agenda Title:
Discussion Regarding the Midvale Main Street CDA Inter-Local Agreement (ILA)

Requested Agenda Item Description: In accordance with Salt Lake County Policy 1155 and based on previous guidance from Council, the Economic Development Director has negotiated an ILA with the Midvale City RDA for the Midvale Main Street CDA. The Council will review the ILA and provide any additional guidance before scheduling for public hearing and final vote.

Requested Action: Discussion - Informational

Presenter(s) (with titles): Jevon Gibb, Salt Lake County Economic Development Director; Cody Hill, Midvale RDA Manager

Time Needed: 10 MINS

Is this Item Time-Sensitive and/or Requesting a Time-Certain? No

Requesting Staff Member: Jevon Gibb, Salt Lake County Economic Development Director

Are Supporting Documents Needed for this Agenda Item Request? Yes

Please attach supporting documentation, including presentations, to the Legistar file.

Agenda item requests must be complete and submitted via Legistar Approval Sequence to the Council Administrative & Communications Coordinator by the Wednesday before the upcoming Tuesday meeting at 3:00 PM. Please note that some offices have earlier, internal Approval Sequence deadlines.

Items without necessary supporting documentation may be withheld from consideration for the desired meeting date.